

TRUQAP + abiraterone with prednisone is for certain people with metastatic* prostate cancer that is PTEN-deficient

*Metastatic=cancer that has spread to other parts of the body.

 **Truqap®**
capiwasertib
160 mg • 200 mg tablets

MAN WITH A PLAN AND TRUQAP

The first and only targeted
combination therapy of its kind



Actor portrayals.

Your guide to discussing metastatic prostate cancer and treatment options for PTEN deficiency with your doctor

If you or a loved one has recently been diagnosed with metastatic prostate cancer, it's normal to feel overwhelmed. As you talk with your doctor about the disease and possible treatment options, you may hear about **PTEN deficiency**, a biomarker. Your doctor or healthcare team may refer to PTEN deficiency as PTEN loss.

PTEN deficiency refers to a lack of PTEN, a protein that blocks cancer signals. When PTEN is deficient, tumors may grow more quickly and aggressively. This lack of PTEN may provide an additional path for the cancer tissue to grow, despite hormone therapy.

If you or your loved one has metastatic prostate cancer that is PTEN-deficient, your doctor may consider treating you with a targeted therapy approach.

PTEN=phosphatase and tensin homolog.

Use the questions on the following page to talk to your doctor about why
TRUQAP + abiraterone with prednisone may be right for you.



IMPORTANT PRODUCT INFORMATION

TRUQAP is a prescription oral medicine used in combination with the medicines abiraterone and prednisone to treat adults who have PTEN-deficient prostate cancer that has spread to other parts of the body (metastatic). Do not take TRUQAP if you have had a severe allergic reaction to TRUQAP or are allergic to any of its ingredients. Males with female partners who are able to become pregnant should use effective birth control during your treatment with TRUQAP and for 4 months after the last dose. If your female partner becomes pregnant, tell your healthcare provider right away. TRUQAP may cause severe side effects, including high blood sugar levels (hyperglycemia); diarrhea; or skin reactions. Untreated severe hyperglycemia can lead to a condition called diabetic ketoacidosis that requires treatment in a hospital and can lead to death. The most common side effects include skin reactions, diarrhea, tiredness, and changes in certain blood tests.

Please see full Prescribing Information, including Patient Information for TRUQAP.



Actor portrayals.



ABOUT PTEN DEFICIENCY

As you talk to your doctor about metastatic prostate cancer, ask these questions to help get the information you need:

- | | |
|--|---|
| • What do biomarkers tell me about my prostate cancer? | • Have I been tested for PTEN deficiency? If not, should I be tested? |
| • What is PTEN deficiency, and what does it mean in metastatic* prostate cancer? | • What does this test mean for my treatment? |
| • How do you test for PTEN deficiency? Do I need a new biopsy? | • Why might TRUQAP in combination† be right for me? |



ABOUT TRUQAP + abiraterone with prednisone

If your doctor thinks TRUQAP in combination† may be right for you, these questions can help guide your conversation:

- | | | |
|---|---------------------------------------|---|
| • What side effects are common, and when do they typically show up? | • How is TRUQAP taken, and how often? | • Is there financial support available? |
|---|---------------------------------------|---|

*Metastatic=cancer that has spread to other parts of the body.

†Combination therapy: TRUQAP + abiraterone with prednisone.

PTEN=phosphatase and tensin homolog.

You can note any additional questions you have for your healthcare team:



The AstraZeneca Access 360™ program can help with paying for TRUQAP. Scan the QR code to learn more.

Please see full [Prescribing Information](#), including [Patient Information](#) for TRUQAP.



TRUQAP is a registered trademark and AstraZeneca Access 360 is a trademark of the AstraZeneca group of companies.

©2026 AstraZeneca. All rights reserved. US-108330 Last Updated 6/26

